


EP.FR2006M

Entrypass Facial Recognition Terminal

Match, pass, and go



A more intelligent access control through face recognition

EP.FR Face Recognition Reader series adopts the deep learning algorithm that thrives in accurate and fast facial recognition. The EP.FR series also supports multiple authentication modes :1:N Face Picture Match, Card authentication, etc.

The Facial Recognition Reader can be applied to various scenarios such as businesses, financial industries, corporate buildings, residential areas and other important areas.



FEATURE HIGHLIGHT




- 4.3-inch LCD touch screen
- 2 Mega pixel wide angle-lens
- Recognition distance: 0.3 to 3 m
- Face recognition duration < 0.2 s/ User
- Face recognition accuracy rate ≥ 99%
- Built- in Mifare card and DesFire card reading module (Presents card on the screen to authenticate)
- 6000 face capacity, 10,000 card capacity and 150,000 event capacity
- Face mask detection
- Supports ISAPI, ISUP 5.0, NetSDK protocol
- Configuration via the web client
- Two-way audio with indoor station and main station

TECHNICAL SPECIFICATION

Model	EP.FR2006M
Operation system	Linux
Screen	4.3 Inch
Type	IPS Full Screen
Pixel	2MP
Lens	DUAL-Lens
Tone quality	Noise suppression and echo cancellation
Wired Network	Support 10 M/ 100 M/ 1000 M self-adaptive
Interface	
Network interface	1
Lock output	1
Exit button	1
Door contact input	1
Power interface	2-pin
Capacity	
Card capacity	10,000
Face capacity	6000
Event capacity	150,000
Authentication	
Face recognition accuracy rate	> 99%
Card type	Mifare card / DesFire card
Card reading frequency	13.56MHz
Face recognition duration	< 0.2 s per person
Face recognition distance	0.3 to 3 m
Function	
Time synchronization	Support
Face anti spoofing	Support
Audio prompt	Support
General	
Power supply method	12V/2A
Working temperature	- 10℃ to 50℃ (- 14°F to 122°F)
Working humidity	0 to 90% (no condensing)
Dimensions	118mm x 118mm x 20mm (4.6" x 4.6" x 0.7")
Application environment	Indoor
Installation	Surface, optional base stand
Language	English, Spanish (South America), Arabic, Thai, Indonesian, Russian, Vietnamese Portuguese (Brazil)

Dimension



www.entrypass.net

Malaysia

No. 40, Jalan TPP 1/10, Taman
Industri Puchong, Batu 12 Jalan
Puchong, 47160 Puchong
Selangor Darul Ehsan, Malaysia.
Tel : +603 8068 1929
Fax : +603 8062 6937
Email : info@entrypass.net

Singapore

No. 1, UBI View, #03-03, Focus
ONE Building, Singapore 408555.
Tel : +65- 6841 7242
Fax : +65- 6841 3937
Email : info@entrypass.net

Indonesia

Jl. Raya Lodan No. 2, kompl.
Ruko Lodan Centre Blok. P 10,
Jakarta Utara 14430, Indonesia.
Tel : +62 21 6983 3153
Fax : +62 21 690 3005
Email : info@entrypass.net

A securityhub group company

